This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation





Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SEC	TION 1: IDENTIFICATION OF THE	SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1	Product identifier:	Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B- Base		
		Semi-gloss/ Half sheen		
	Other means of identification:			
	Non-applicable			
1.2		ance or mixture and uses advised against:		
	Relevant uses: For painting of all substr			
	Uses advised against: All uses not spec			
1.3	Details of the supplier of the safety d	ata sheet:		
	Selder & Company AB Torstuna Korsbacken 14 SE-749 72 Fjärdhundra - Sweden Phone: +46 (0) 18-12 12 56 hello@selder.com www.selder.com			
1.4		nergency telephone number Europe: 112		
	· · ·			
SEC	TION 2: HAZARDS IDENTIFICATION	ON		
2.1	Classification of the substance or mi	xture:		
	CLP Regulation (EC) No 1272/2008:			
	·	carried out in accordance with CLP Regulation (EC) No 1272/2008.		
2.2	Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410 Label elements:			
	CLP Regulation (EC) No 1272/2008: Warning			
	¥22			
	Hazard statements:			
	Aquatic Chronic 1: H410 - Very toxic to	aquatic life with long lasting effects.		
	Precautionary statements:			
	P101: If medical advice is needed, have P102: Keep out of reach of children. P264: Wash contaminated skin thoroug P273: Avoid release to the environment P314: Get medical advice/attention if yo	hly after handling. t.		
	·	cording to the separated collection system used in your municipality.		
2.3	Other hazards:			
	Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The pro	oduct fails to meet the criteria.		
SEC	CTION 3: COMPOSITION/INFORM	ATION ON INGREDIENTS		
3.1	Substance:			
	Non-applicable			

3.2 Mixture:

Chemical description: Mixture of substances

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



¥2

Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS:	8001-26-1	Linseed oil ⁽¹⁾ Not classified			
EC: Index: REACH	232-278-6 Non-applicable : Non-applicable	Regulation 1272/2008	35 - <40 %		
CAS:	1314-13-2	Zinc oxide ⁽²⁾ ATP CLP00			
Index: 030- REACH: 01-2	215-222-5 030-013-00-7 :01-2119463881-32- XXXX	Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	30 - <35 %		
CAS:	13463-67-7	Titanium dioxide ⁽¹⁾ Not classified			
Index: N REACH: 0	236-675-5 Non-applicable :01-2119489379-17- XXXX	Regulation 1272/2008	20 - <30 %		
EC: Index: REACH:	246538-78-3 Non-applicable Non-applicable : 01-2119456810-40- XXXX	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics ⁽²⁾ Self-classified			
		Regulation 1272/2008 Asp. Tox. 1: H304 - Danger	5 - <10 %		

⁽¹⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878 ⁽²⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Revised: 21/10/2022

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

- CONTINUED ON NEXT PAGE -

Version: 3 (Replaced 2)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base



Semi-gloss/ Half sheen

SECTION 5: FIREFIGHTING MEASURES (continued)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 **Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Revised: 21/10/2022

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

Version: 3 (Replaced 2)

Conditions for safe storage, including any incompatibilities: 7.2

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



¥2

Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 7: HANDLING AND STORAGE (continued)

A.- Technical measures for storage

Maximum Temp.:

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

35 °C

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short e	xposure	Long e	kposure
Identification		Systemic	Local	Systemic	Local
Zinc oxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1314-13-2	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 215-222-5	Inhalation	Non-applicable	Non-applicable	5 mg/m³	0,5 mg/m³

DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Zinc oxide	Oral	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
CAS: 1314-13-2	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 215-222-5	Inhalation	Non-applicable	Non-applicable	2,5 mg/m ³	Non-applicable

PNEC:

Identification				
Zinc oxide	STP	0,1 mg/L	Fresh water	0,0206 mg/L
CAS: 1314-13-2	Soil	35,6 mg/kg	Marine water	0,0061 mg/L
EC: 215-222-5	Intermittent	Non-applicable	Sediment (Fresh water)	117,8 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	56.5 ma/ka

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
^ *	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	+ ▼	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0 % weight
V.O.C. density at 20 °C:	0 kg/m ³ (0 g/L)
Average carbon number:	Non-applicable
Average molecular weight:	Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties: 9.1

Physical state at 20 °C:	Liquid		
Appearance:	Fluid		
Colour:	White		
Odour:	Mild		
Odour threshold:	Non-applicable *		
Volatility:			
Boiling point at atmospheric pressure:	Non-applicable *		
Vapour pressure at 20 °C:	Non-applicable *		
*Not relevant due to the nature of the product, not providing information property of its hazards.			

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

Vapour pressure at 50 °C:Non-applicable *Evaporation rate at 20 °C:Non-applicable *Product description:1700 · 1900 kg/m³Relative density at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Prit:Non-applicable *Prit:Prit:Prit:Non-applicable *Prit:Prit:Prit:Non-applicable *Prit:Prit:Prit:Non-applicable *Prit:Prit:Prit:Non-applicable *Prit:Non-applicable *Prit	SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
Product description: 700 - 1900 kg/m³ Pensity at 20 °C: 170 - 1,90 Relative density at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Concentration: Non-applicable * Vapor density at 20 °C: Non-applicable * Qapor density at 20 °C: Non-applicable * Vapor density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Bartmobility inproperties: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Harmability inproperties: Non-applicable * I admobility inproperties: Non-applicable * I admobility forid (gas): Non-applicable * I admobility limit: Non-applicable * I admobility inproperties:		Vapour pressure at 50 °C:	Non-applicable *
Pensity at 20 °C:1700 · 1900 kg/m²Relative density at 20 °C:1,7 · 1,9Dynamic viscosity at 20 °C:Non-applicable °Kinematic viscosity at 40 °C:Non-applicable °Concentration:Non-applicable °PH:Non-applicable °Vapour density at 20 °C:Non-applicable °Solubility in water at 20 °C:Non-applicable °Becomposition temperature:Non-applicable °Perimability:Non-applicable °Hammability (solid, gas):Non-applicable °Hammability (solid, gas):Non-applicable °Autoignition temperature:Non-applicable °Autoignition temperature:Non-applicable °Impact density simit:Non-applicable °Autoignition temperature:Non-applicable °Autoignition temperature:Non-applicable °Impact density simit:Non-applicable °Impact		Evaporation rate at 20 °C:	Non-applicable *
Relative density at 20 °C: 1,7 - 1,9 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * PH: Non-applicable * Vapour density at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Solubility in vater at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Hammability: Non-applicable * Itamability (solid, gas): Non-applicable * Lower flammability limit: Non-applicable * Upper flammability li		Product description:	
bynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * Valout density at 20 °C: Non-applicable * Valout density at 20 °C: Non-applicable * Valout density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in properties: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in properties: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in properties: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Flammability innit: Non-applicable * Information timperature: Non-applicable * Information: Non-applicable * Particle characteristics: Non-applicable * Information: Non-applicable * Information: Non-applicable * Information: Non-applicable * Informati		Density at 20 °C:	1700 - 1900 kg/m³
Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *PH:Non-applicable *Vapour density at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in properties:Non-applicable *Decomposition temperature:Non-applicable *Hamability:Non-applicable *Hamability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Inore applicable *Non-applicable *Hormability (solid, gas):Non-applicable *Inore applicable *Non-applicable *Inore applicable *<		Relative density at 20 °C:	1,7 - 1,9
Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * PH: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Farmability (solid, gas): Non-applicable * Immability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Immability (solid, gas): Non-applicable * Immability (solid, gas): Non-applicable * Partice characteristics: Non-applicable * Immability limit: Non-applicable * Vole: Non-applicable * Solubing properties: Non-applicable * Immability in with regard to physical hazard classes: Non-applicable * Solusing properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable *		Dynamic viscosity at 20 °C:	Non-applicable *
Concentration:Non-applicable *pH:Non-applicable *Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Non-applicable *Decorposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Hammability:Non-applicable *Flammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Utiding properties:Non-applicable *Utiding properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Utiditable to combustion:Non-applicable *Corrosive to metals:Non-applicable *Utiditable to combustion:Non-applicable *Corrosive to metals:Non-applicable *Utiditable to combustion:Non-applicable *Utiditable to combustion:Non-appl		Kinematic viscosity at 20 °C:	Non-applicable *
pH:Non-applicable*Vapour density at 20 °C:Non-applicable*Partition coefficient n-octanol/water 20 °C:Non-applicable*Solubility in water at 20 °C:Non-applicable*Solubility in water at 20 °C:Non-applicable*Solubility in water at 20 °C:Non-applicable*Partition composition temperature:Non-applicable*Hetting point/reezing point:Non-applicable*FlarmabilityNon-applicable*Flarmability (solid, gas):Non-applicable*Autoignition temperature:Non-applicable*Lower flarmability limit:Non-applicable*Ident equivalent diameter:Non-applicable*Partice characteristics:Non-applicable*Partice characteristics:Non-applicable*Information:Non-applicable*Partice characteristics:Non-applicable*Partice characteristics:Non-app		Kinematic viscosity at 40 °C:	Non-applicable *
Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Non-applicable *Decomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Flammability:Flammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Autoignition temperature:Non-applicable *Autoignition temperature:Non-applicable *Ipper flammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Autoignition temperature:Non-applicable *Ipper flammability limit:Non-applicable *Ipper flammability integard to physical hazard classes:Non-applicable *Ipper flammability integard		Concentration:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Non-applicable *Decomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Flammability (solid, gas):Flammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Autoignition temperature:Non-applicable *Ipper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Ipper flammability limit:Non-applicable *Median equivalent diameter:Non-applicable *Information:Non-applicable *Solubing properties:Non-applicable *Information:Non-applicable *Particle characteristics:Non-applicable *Information:Non-applicable *Solubing properties:Non-applicable *Information:Non-applicable *Particle composition:Non-applicable *Information:Non-applicable *Solubing properties:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-appl		pH:	Non-applicable *
Solubility invater at 20 °C: Non-applicable* Solubility properties: Non-applicable* Decomposition temperature: Non-applicable* Hetting point/freezing point: Non-applicable* Flammability: Flammability: Flammability (solid, gas): Non-applicable* Autoignition temperature: Non-applicable* Autoignition temperature: Non-applicable* Lower flammability limit: Non-applicable* Particle characteristics: Non-applicable* Bedian equivalent diameter: Non-applicable* Information: Non-applicable* Particle characteristics: Non-applicable* Sciolisi properties: Non-applicable* Information: Non-applicable* Particle characteristics: Non-applicable* Sciolisi properties: Non-applicable* Oxidising properties: Non-applicable* Acrosols-total percentage (by mass) of flammable Non-applicable* Acrosols-total percentage (by mass) of flammable Non-applicable* Acrosols-total percentage (by mass) of flammable Non-applicable* Virter safety characteristics: Non-applicable*		Vapour density at 20 °C:	Non-applicable *
Solubility properties:Non-applicable *Decomposition temperature:Non-applicable *Metting point/freezing point:Non-applicable *Flammability:Flammability:Flash Point:>61 °CFlammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Information:Non-applicable *Particle or prostries:Non-applicable *Information:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Information:Non-applicable *Particle characteristics:Non-applicable *Explosive properties:Non-applicable *Information:Non-applicable *Information:Non-applicable *Oxidising properties:Non-applicable *Information:Non-applicable * <th></th> <th>Partition coefficient n-octanol/water 20 °C:</th> <th>Non-applicable *</th>		Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Decomposition temperature: Non-applicable * Metting point/freezing point: Non-applicable * Flammability: Flammability: Flammability: >61 °C Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Variele characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Particle characteristics: Non-applicable * Fiformation: Non-applicable * Polytics: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Partosive to metals: Non-applicable * Partosive to metals: Non-applicable * Oxidising properties: Non-applicable * Partosive to metals: Non-applicable * Outer safety characteristics: Non-applicable * Varies of combustion: Non-applicable * Outer safety characteristics: Non-applicable * Varies of combustion: Non-applicable *		Solubility in water at 20 °C:	Non-applicable *
Melting point/freezing point:Non-applicable*Flammability:Son-applicable*Flash Point:>61 °CFlammability (solid, gas):Non-applicable*Autoignition temperature:Non-applicable*Lower flammability limit:Non-applicable*Upper flammability limit:Non-applicable*Median equivalent diameter:Non-applicable*Median equivalent diameter:Non-applicable*Information:Son-applicable*Explosive properties:Non-applicable*Oxidising properties:Non-applicable*Corrosive to metals:Non-applicable*Heat of combustion:Non-applicable*Heat of combustion:Non-applicable*Order setter britters:Non-applicable*Order setter britters:Non-applicable*Differ setter britters:Non-applicable*Surface tension at 20 °C:Non-applicable*Refraction index:Non-applicable*		Solubility properties:	Non-applicable *
Flamability: Flamability: Flash Point: >61 °C Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Particle characteristics: Non-applicable * Information: Information: Information with regard to physical hazard classes: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable *		Decomposition temperature:	Non-applicable *
Flash Point>61 °CFlammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Heat of combustion:Non-applicable *Components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Melting point/freezing point:	Non-applicable *
Flammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Information:Non-applicable *Information:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Flammability:	
Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Median equivalent diameter:Non-applicable *Information:Non-applicable *Information with regard to physical hazard classes:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Heat of combustion:Non-applicable *Cother safety characteristics:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Flash Point:	>61 °C
Lower flammability limit:Non-applicable*Upper flammability limit:Non-applicable*Particle characteristics:Non-applicable*Median equivalent diameter:Non-applicable9.0Other information:Information with regard to physical hazard classes:Non-applicable*Explosive properties:Non-applicable*Oxidising properties:Non-applicable*Corrosive to metals:Non-applicable*Heat of combustion:Non-applicable*Aerosols-total percentage (by mass) of flammable components:Non-applicable*Other safety characteristics:Non-applicable*Virface tension at 20 °C:Non-applicable*Refraction index:Non-applicable*		Flammability (solid, gas):	Non-applicable *
Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Heat of combustion:Non-applicable *Corrosive to metals:Non-applicable *Upper flammableNon-applicable *Sufface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Autoignition temperature:	Non-applicable *
Particle characteristics: Non-applicable Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable *		Lower flammability limit:	Non-applicable *
Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable*Oxidising properties:Non-applicable*Oxidising properties:Non-applicable*Heat of combustion:Non-applicable*Heat of combustion:Non-applicable*Other safety characteristics:Non-applicable*Other safety characteristics:Non-applicable*Surface tension at 20 °C:Non-applicable*Refraction index:Non-applicable*		Upper flammability limit:	Non-applicable *
9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Particle characteristics:	
Information with regard to physical hazard classes:Explosive properties:Non-applicable*Oxidising properties:Non-applicable*Corrosive to metals:Non-applicable*Heat of combustion:Non-applicable*Aerosols-total percentage (by mass) of flammable components:Non-applicable*Dther safety characteristics:Non-applicable*Surface tension at 20 °C:Non-applicable*Refraction index:Non-applicable*		Median equivalent diameter:	Non-applicable
Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *	9.2	Other information:	
Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Information with regard to physical hazard classes	5:
Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Explosive properties:	Non-applicable *
Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Oxidising properties:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Corrosive to metals:	Non-applicable *
components:Other safety characteristics:Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		Heat of combustion:	Non-applicable *
Surface tension at 20 °C:Non-applicable *Refraction index:Non-applicable *		components:	Non-applicable *
Refraction index: Non-applicable *			Non-annlicable *
*Not relevant due to the nature of the product, not providing information property of its hazards.			

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



t Primer/ Linseed Oil 3-Base



Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 10: STABILITY AND REACTIVITY (continued)

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

10.5

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity		
	Not applicable	Not applicable			Not applicable		
-	Incompatible materials:						
1	•						
	Acids	Water	Oxidising materials	Combustible materials	Others		
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases		

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen



Semi-gloss/ Half sheen

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
Linseed oil	LD50 oral	>2000 mg/kg	
CAS: 8001-26-1	LD50 dermal	>2000 mg/kg	
EC: 232-278-6	LC50 inhalation	>20 mg/L	
Zinc oxide	LD50 oral	7950 mg/kg	Mouse
CAS: 1314-13-2	LD50 dermal	>2000 mg/kg	
EC: 215-222-5	LC50 inhalation	>5 mg/L	
Titanium dioxide	LD50 oral	10000 mg/kg	Rat
CAS: 13463-67-7	LD50 dermal	10000 mg/kg	Rabbit
EC: 236-675-5	LC50 inhalation	>5 mg/L	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	LD50 oral	>2000 mg/kg	
CAS: 246538-78-3	LD50 dermal	>2000 mg/kg	
EC: Non-applicable	LC50 inhalation	>20 mg/L	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Revised: 21/10/2022

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus			
Zinc oxide	LC50	0,82 mg/L (96 h)	Oncorhynchus kisutch	Fish			
CAS: 1314-13-2	EC50	3,4 mg/L (48 h)	Daphnia magna	Crustacean			
EC: 215-222-5	EC50	Non-applicable					
Chronic toxicity:							
Identification		Concentration	Species	Genus			

		Concentration	000000	Centas
Zinc oxide	NOEC	0,44 mg/L	Oncorhynchus mykiss	Fish
CAS: 1314-13-2 EC: 215-222-5	NOEC	0,031 mg/L	Daphnia magna	Crustacean

- CONTINUED ON NEXT PAGE -

Version: 3 (Replaced 2)



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation





Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 12: ECOLOGICAL INFORMATION (continued) Identification Concentration Species NOEC 1000 mg/L Danio rerio Fish Titanium dioxide CAS: 13463-67-7 EC: 236-675-5 NOEC 1 mg/L Corbicula fluminea Crustacean 12.2 Persistence and degradability: Not available 12.3 Bioaccumulative potential: Not available 12.4 Mobility in soil: Not available 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria 12.6 Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet the criteria. 12.7 Other adverse effects: Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land: With regard to ADR 2021 and RID 2021:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 14: TRANSPO	ORT INFORMATION (continue	d)
14	4.1 UN number or ID number:	UN3082
	4.2 UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ziro oxide)
» V 14	4.3 Transport hazard class(es):	9
	Labels:	9
	4.4 Packing group:4.5 Environmental hazards:	III Yes
	4.6 Special precautions for user	Tes
1	Special regulations: Tunnel restriction code:	274, 335, 375, 601
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
14	4.7 Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dange	erous goods by sea:	
With regard to IMDO	6 40-20:	
14	4.1 UN number or ID number:	UN3082
	4.2 UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zin oxide)
14	1.3 Transport hazard class(es):	9
	Labels:	9
	4.4 Packing group:	III
	4.5 Marine pollutant:	Yes
14	4.6 Special precautions for user	
	Special regulations:	335, 969, 274
	EmS Codes:	F-A, S-F
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
	Segregation group:	Non-applicable
14	4.7 Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dange	erous goods by air:	
With regard to IATA	/ICAO 2022:	
	4.1 UN number or ID number:	UN3082
	4.2 UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zino oxide)
14	4.3 Transport hazard class(es):	9
	Labels:	9
	4.4 Packing group:	III
	4.5 Environmental hazards:	Yes
14	4.6 Special precautions for user	
	Physico-Chemical properties:	see section 9
14	4.7 Maritime transport in bulk according to IMO instruments:	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation





Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 15: REGULATORY INFORMATION (continued)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Linseed oil

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS	100	200

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Revised: 21/10/2022

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Classification procedure:

Aquatic Acute 1: Calculation method

Aquatic Chronic 1: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE -

Version: 3 (Replaced 2)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



¥2

Selder & Company AB - Linseed Oil Paint Primer/ Linseed Oil White, Tinting A-Base & B-Base Semi-gloss/ Half sheen

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 LC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Document generated with Chemeter (www.siam-it.com)